

**2019 Roger May Family Farm and K-State Research & Extension and
Twin Creeks Extension District**

Plot located 3 1/4 West of Oberlin

Planted 10-20-18, harvest was 7-24-19. Earlier conditions were conducive to strip rust yet did not develop much after late May. This plot was treated with fungicide.

All yields adjusted to 13% moisture.

Plot size 17.5 feet x 95 feet.

Variety		Yield (bu/A)	Harvested Test Weight	Harvested % Moisture	% Protein
Tatanka	KSU	94.3	62.0	10.6	10.8
WB 4462	Westbred	89.8	60.7	10.5	12.1
Langin	CSU	89.8	60.9	10.6	11.2
Avery	CSU	89.6	60.9	10.7	10.8
Byrd	CSU	89.5	61.1	10.8	10.9
SY517-CL2	AgriPro	85.4	61.8	10.5	12.4
Grainfield	Westbred	85.1	61.5	10.8	11.4
Tam 114	AGSECO	85.0	61.6	10.9	11.9
Oakley-CL2	KSU	81.0	62.5	10.7	12.6
SY Monument	AgriPro	80.9	60.0	10.4	11.7
WB 4721	Westbred	80.9	61.8	10.5	12.4
SY Rugged	AgriPro	80.6	61.1	6.6	11.1
WB Winterhawk	Westbred	80.5	62.1	10.9	11.2
WB 4418	Westbred	76.8	59.4	10.3	11.7
LCS Link	Limagrain	76.4	61.1	10.5	11.4
LCS Chrome	Limagrain	71.6	60.3	10.9	12.5

These are demonstration studies and have not had any statistics applied to rule out variations.

These should be used with other University trials to contrast and compare to.